

IN THE CLAIMS:

Claims 1, 24, and 47 are amended herein. Claims 50 and 51 are added. All pending claims are produced below.

1. (Currently Amended) A method, comprising:
 - providing a data store of stored events, wherein the events comprise data describing user interactions with articles, wherein the articles are associated with a plurality of different applications;
 - providing an index of the stored events, wherein the index is a part of the data store;
 - identifying a desired portion of the data store for replication, ~~the desired portion including articles relevant to a search query and a portion of the index;~~ the identifying comprising:
 - identifying a first result set of articles relevant to ~~the a~~ search query;
 - identifying frequently occurring terms within the articles in the first result set of articles; and
 - identifying a second result set of articles based at least in part on the frequently occurring terms;
 - identifying stored events associated with the articles in the second result set for replication; and
 - identifying a portion of the index associated with the identified stored events for replication;
 - replicating the desired portion of the data store; and
 - storing the replicated portion on a storage medium.
2. (Cancelled)
3. (Previously Presented) The method of claim 1, wherein the index comprises a plurality of terms associated with the events.

4. (Previously Presented) The method of claim 1, wherein the index comprises one or a combination of one or more times, one or more types, one or more locations, one or more articles, or one or more user activities associated with the events.
5. (Original) The method of claim 4, wherein the articles comprise one or a combination of word processor documents, spreadsheet documents, presentation documents, emails, instant messenger messages, database entries, calendar entries, appointment entries, task manager entries, source code files, web pages, Portable Document Format (PDF) files, media files, audio files, or video files.
6. (Original) The method of claim 1, wherein the data store comprises a database.
7. (Original) The method of claim 6, wherein the database comprises events.
8. (Original) The method of claim 1, wherein the data store comprises a repository.
9. (Original) The method of claim 8, wherein the repository comprises content associated with the articles.
10. (Original) The method of claim 1, wherein identifying a desired portion of the data store comprises presenting a user with a graphical user interface.
11. (Original) The method of claim 1, wherein identifying a desired portion of the data store comprises presenting a user with suggested events.
12. (Original) The method of claim 1, wherein identifying a desired portion of the data store comprises identifying frequently accessed articles.
13. (Canceled)
14. (Canceled)
15. (Original) The method of claim 1, further comprising determining a maximum size for a replicated portion of the data store.

16. (Original) The method of claim 1, wherein identifying a desired portion of the data store comprises determining recently accessed articles.
17. (Previously Presented) The method of claim 8, further comprising determining a checksum associated with the index and the repository.
18. (Previously Presented) The method of claim 1, further comprising determining profile information associated with the desired portion, the profile information identifying a user associated with the data store.
19. (Original) The method of claim 1, wherein replicating the structure and content of the desired portion of the data store comprises indicating a read-only status.
20. (Original) The method of claim 1, wherein the desired portion of the data store is replicated to a removable data store.
21. (Original) The method of claim 20, wherein the data store is a local data store on a client device.
22. (Original) The method of claim 1, wherein the desired portion of the data store is replicated to a second data store located on a network.
23. (Original) The method of claim 22, wherein the data store is a local data store on a client device.
24. (Currently Amended) A computer readable storage medium containing program code comprising:
 - program code for providing a data store of stored events, wherein the events comprise data describing user interactions with articles, wherein the articles are associated with a plurality of different applications;
 - program code for providing an index of the stored events, wherein the index is a part of the data store;

program code for identifying a desired portion of the data store for replication, ~~the desired portion including articles relevant to a search query and a portion of the index~~; the identifying comprising:

identifying a first result set of articles relevant to ~~the a~~ search query;

identifying frequently occurring terms within the articles in the first result set of articles; and

identifying a second result set of articles based at least in part on the frequently occurring terms;

identifying stored events associated with the articles in the second result set for replication; and

identifying a portion of the index associated with the identified stored events for replication;

program code for replicating the desired portion of the data store; and

program code for storing the replicated portion on a storage medium.

25. (Cancelled)
26. (Previously Presented) The computer-readable medium of claim 24, wherein the index comprises a plurality of terms associated with the events.
27. (Previously Presented) The computer-readable medium of claim 24, wherein the index comprises one or a combination of one or more times, one or more types, one or more locations, one or more articles, or one or more user activities associated with the events.
28. (Original) The computer-readable medium of claim 27, wherein the articles comprise one or a combination of word processor documents, spreadsheet documents, presentation documents, emails, instant messenger messages, database entries, calendar entries, appointment entries, task manager entries, source code files, web pages, Portable Document Format (PDF) files, media files, audio files, or video files.
29. (Original) The computer-readable medium of claim 24, wherein the data store comprises a database.

30. (Original) The computer-readable medium of claim 29, wherein the database comprises events.
31. (Original) The computer-readable medium of claim 24, wherein the data store comprises a repository.
32. (Original) The computer-readable medium of claim 31, wherein the repository comprises content associated with the articles.
33. (Original) The computer-readable medium of claim 24, wherein identifying a desired portion of the data store comprises presenting a user with a graphical user interface.
34. (Original) The computer-readable medium of claim 24, wherein identifying a desired portion of the data store comprises presenting a user with suggested events.
35. (Original) The computer-readable medium of claim 24, wherein identifying a desired portion of the data store comprises identifying frequently accessed articles.
36. (Canceled)
37. (Canceled)
38. (Previously Presented) The computer-readable medium of claim 24, further comprising program code for determining a maximum size for a replicated portion of the data store.
39. (Original) The computer-readable medium of claim 24, wherein identifying a desired portion of the data store comprises determining recently accessed articles.
40. (Previously Presented) The computer-readable medium of claim 31, further comprising program code for determining a checksum associated with the index and the repository.
41. (Previously Presented) The computer-readable medium of claim 24, further comprising program code for determining profile information associated with the desired portion, the profile information identifying a user associated with the data store.

42. (Original) The computer-readable medium of claim 24, wherein replicating the structure and content of the desired portion of the data store comprises indicating a read-only status.
43. (Original) The computer-readable medium of claim 24, wherein the desired portion of the data store is replicated to a removable data store.
44. (Original) The computer-readable medium of claim 43, wherein the data store is a local data store on a client device.
45. (Original) The computer-readable medium of claim 24, wherein the desired portion of the data store is replicated to a second data store located on a network.
46. (Original) The computer-readable medium of claim 45, wherein the data store is a local data store on a client device.
47. (Currently Amended) A method comprising:
- providing a database of stored events, wherein the events comprise data describing user interactions with articles on the client device, and wherein the articles are associated with a plurality of different client applications;
 - providing an index of the stored events;
 - providing a repository of at least a portion of content associated with the articles;
 - identifying a desired portion of the database, index, and repository for replication by presenting a user with a graphical user interface, ~~the desired portion including articles relevant to a search query and a portion of the index,~~ the identifying comprising:
 - identifying a first result set of articles relevant to ~~the~~ a search query;
 - identifying frequently occurring terms within the articles in the first result set ~~of articles;~~ and
 - identifying a second result set of articles based at least in part on the frequently occurring terms;

identifying stored events associated with the articles in the second
result set for replication; and
identifying a portion of the index associated with the identified
stored events for replication;

determining a checksum associated with the database, index, and repository;

determining profile information associated with the database, index, and
repository;

replicating the structure and content of the desired portion of the database, index,
and repository to create a replicated portion;

storing the replicated portion on a storage medium; and

marking the replicated portion as read-only.

48. (Previously Presented) The method of claim 18, wherein the profile information is replicated with the desired portion of the data store and further comprising:

providing a second data store of stored events, the second data store having
associated profile information identifying a second user associated with
the second data store;

identifying articles associated with the stored events in the replicated portion and
articles associated with the stored events in the second data store related to
a search query;

simultaneously displaying the identified articles associated with the events stored
in the replicated portion and the second data store; and

displaying profile information corresponding to each identified article, the profile
information identifying the user associated with the data store storing the
event with which the article is associated.

49. (Previously Presented) The computer-readable medium of claim 41, wherein the profile information is replicated with the desired portion of the data store and further comprising:

program code for providing a second data store of stored events, the second data
store having associated profile information identifying a second user
associated with the second data store;

program code for identifying articles associated with the stored events in the replicated portion and articles associated with stored events in the second data store related to a search query;
program code for simultaneously displaying the identified articles associated with the events stored in the replicated portion and the second data store; and
program code for displaying profile information corresponding to each identified article, the profile information identifying the user associated with the data store storing the event with which the article is associated.

50. (New) The method of claim 1, wherein the terms are words.
51. (New) The computer readable medium of claim 24, wherein the terms are words.